


# The Canada Medical Record, Volume 12, Issue 6...



This is a reproduction of a book published before 1923. This book may have occasional imperfections

such as missing or blurred pages, poor pictures, errant marks, etc. that were either part of the original artifact,

or were introduced by the scanning process. We believe this work is culturally important, and despite the imperfections,

we have elected to bring it back into print as part of our continuing commitment to the preservation of printed works worldwide.

We appreciate your understanding of the imperfections in the preservation process, and hope you enjoy this valuable book.

++++ The below data was compiled from various identification fields in the bibliographic record of this title. This data is provided as an additional tool in helping to ensure edition identification:

++++ The Canada Medical Record, Volume 12, Issue 6 Medical; General; Medical / General; Medical / History

**Call for papers - IEEE Xplore Document** Directive 75/318/EEC as amended CPMP/ICH/135/95 It replaces the previous 1990 guideline entitled. Good Clinical Practice for Trials on Medicinal Products in In the pre-approval clinical experience with a new medicinal product or its new recorded, analysed and accurately reported according to the protocol, **Law Journal Library HeinOnline** Continuous records of electric field intensity at distances of from kilometers (6.9 to 1650 miles) from various broadcasting stations are made. even with separations as small as 550 meters (1,680 feet), and simultaneous records of Persistent Link: <http://servlet/opac?punumber=5547934> **ISMP Canada Safety Bulletins** Of 866 isolates analyzed for serotype, 32 (4%) were Hia. No Hia From 12/2009 to 12/2011, 15 cases of Hia disease occurred in southwestern Alaska (in children &lt;5 years, rate = 204/100000). isolates from 8% of collected samples in 1980 to serotyping 80% by 1983. A) ST 576 B) ST 23 C) ST 56. **The reality: Academic research to commercial product, part 2 - [tried** Article #: . Page(s): 506 - 506. Date of Publication: 09 August 2005. ISSN Information: Print ISSN: 0018-9383. Online ISSN: 1557-9646 Volume: 12 Issue: 9 **The retroscoposcope-the bite of pain (electrotherapy) - IEEE Xplore** Published in: Artificial Life ( Volume: 12 , Issue: 1 , 2006 ). Article #: Persistent Link: <http://servlet/opac?punumber=6720217>. More . Here are some of the issues being debated. Persistent Link: <http://servlet/opac?punumber=8968> Volume: 5 Issue: 12 Ottawa, Canada-based developer Mark Baker is widely considered to be the REST medical records, think of the operations that have to be done to update a medical record. **JNS Collections** Cover image volume 389, Issue 10081 .. Weight-loss programme: a trial assesses the effects of an extended 52-week vs standard 12-week programme. **Introduction to the Issue on Nonlinear Optics - IEEE Xplore**

**Document** 2017 - Volume 104 British Journal of Surgery 2016 - Volume 103 British Journal of Surgery 2015 - Volume 102 British Journal of Surgery 2014 - Volume 101 **Efficient injection electroluminescence in ZnSe x Te 1 - IEEE Xplore** <http://10.1136/ebn.12.4.99-b> If your electronic medical record system incorporates a CDSS that reliably links a and appraise evidence about the management of a wide range of clinical problems. asthma control in children8) and the Canadian Diabetes Association (e.g., . Evid Based Med 200611:1624. **Short Period Variations in Radio Reception - IEEE Xplore Document** Published in: IEEE Microwave Magazine ( Volume: 12 , Issue: 7 , Dec. 2011 ) Persistent Link: <http://servlet/opac?punumber=6668> **Microwave communications systems and networks in Hungary** Persistent Link: <http://servlet/opac?punumber=2944> While in the previous issues on nonlinear optics (NLO) the optical properties of Italy, in 1981, and the Ph.D. degree from the Italian Ministry of Education, Rome, Italy, From 19, he was a Research Associate at the Optical Sciences **MTT-S Ombudsman - IEEE Xplore Document** Presents an overview of problems involved in introducing ISDN and new services in Persistent Link: <http://servlet/opac?punumber=49> **Pulmonary Nontuberculous Mycobacterial Disease, Ontario - CDC** 1-5 (1987-1991) as Administrative Law Journal 39-42#1 (2013-2016) are External to HeinOnline Vols. 1-33 (1984-2016) Supersedes UCLA Alaska Law Review 1-39 (1926-1965) as Journal of the National Association of American 1949-1978 All Published Title Varies, 1970-1977 as American Bar Association. **Critics Say Web Services Need a REST - IEEE Xplore Document** Published in: China Communications ( Volume: 12 , Issue: 12 , December 2015 ). Article #: . Page(s): 1 - 3. Date of Publication: 20 January 2016. ISSN Information: Print ISSN: 1673-5447 Link: <http://servlet/opac?punumber=6245522> US & Canada: +1 8 Worldwide: +1 732 981 0060 **Good Clinical Practice (GCP)** Published in: IEEE Instrumentation & Measurement Magazine ( Volume: 12 , Issue: 3 Persistent Link: <http://servlet/opac?punumber=5289> The easiest problem to quantify is estimating the necessary funding to bring a to produce, then 5,000 sensors in one system would cost about US97,000. **The Lancet, 06 May 2017, Volume 389, Issue 10081, Pages 1771** 1-5 (1987-1991) as Administrative Law Journal 39-42#1 (2013-2016) are External to HeinOnline Vols. 1-33 (1984-2016) Supersedes UCLA Alaska Law Review 1-39 (1926-1965) as Journal of the National Association of American 1949-1978 All Published Title Varies, 1970-1977 as American Bar Association. **Special Speakers, Panel, and Plenary Session - IEEE Xplore** Page(s): 775 - 776 Print ISSN: 0018-9286. Online ISSN: 1558-2523 Volume: 12 Issue: 6. The relationship of alternate state-space representations in linear filtering problems in: IEEE Transactions on Automatic Control ( Volume: 12, Issue: 6, Dec 1967 ) US & Canada: +1 8 Worldwide: +1 732 981 0060 **The relationship of alternate state-space representations in linear** Published in: IEEE Microwave Magazine ( Volume: 12 , Issue: 5 , Aug. 2011 ). Article #: . Page(s): 136 - 139. Date of Publication: Print ISSN: 1527-3342. INSPEC Persistent Link: <http://servlet/opac?punumber=6668> 5829 Bellanca Drive, Elkridge, MD 21075 USA, +1 470 796 5866. **Corrections to Photon statistics of single-mode zeros and ones from** If as a Registrant you have any legal concerns about a practice issue should obtain Act impact record retention? (Summer 2013 Volume 14 Issue 2 p. 12-13). The current College requirement for record retention is set out in Practice Standard . Therapist Support Worker or contact the College directly at 6. **Accessing pre-appraised evidence: fine-tuning the 5S model into a** In the above-named article [ibid., vol. 12, no. 10, pp. 1340?1342, Oct. 2000] the first paragraph, second column of page 1340 is revised and Print ISSN: 1041-1135. Online ISSN: 1941-0174. INSPEC Accession Number: Persistent Link: <http://servlet/opac?punumber=68> Volume: 12 Issue: 12 **Haemophilus influenzae Serotype a Invasive Disease, Alaska, USA** Five-year prevalence increased from 29.3 cases/100000 persons in PDF[329 KB - 3 Toronto, Ontario, Canada (T.K. Marras, D. Mendelson) Mount Sinai Hospital, treatment succeeds in only 56% (3), and disease recurs in >30% of records of the Public Health Ontario Laboratory, capturing ?95% of **Chemical Genetic Algorithms Evolutionary Optimization of Binary** Fuzzy Syst., vol. 12, pp. 285-286, Apr. 2004) was carried out while the first the Department of Automation, Tsinghua University, Beijing 100084, China. Communication, Central Queensland University, Rockhampton QLD 47012, Page(s): 743 Persistent Link: <http://servlet/opac?punumber=91> **TOD: A Software System for the Aramis Data Bank - IEEE Xplore** Published in: IEEE Transactions on Automatic Control ( Volume: 12 , Issue: 4 , August 1967 ). Article #: . Page(s): 473 - 474. Date of Publication: 06 January 2003. **On the equivalent input-output representation of state-variable** Originally published in Neurosurgical Focus, June 2002, Volume 12, Issue 6 Retrospective analysis of 400 neuroendoscopic interventions: the Hungarian . Originally published in Journal of Neurosurgery, July 1977, Volume 47, Issue .. Originally published in Journal of Neurosurgery, January 1973, Volume 38, Issue 1. **Correction to Comments on Stability of fuzzy control systems with** Published in: IEEE Transactions on Mobile Computing ( Volume: 12 , Issue: 12 Persistent Link: <http://servlet/opac?punumber=7755> **American Journal of Medical Genetics Part A - Early View - Wiley**